Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5276684").PN.	USPAT; USOCR	OR	OFF	2005/02/18 18:07
L2	1	(("5276684").PN.) and symmetric$	USPAT	OR	ON	2005/02/18 18:07
L3	13	symmetric adj interval	USPAT	OR	ON	2005/02/18 18:07
L4	272	request with manager with schedul$4	USPAT	OR	ON	2005/02/18 18:07
L5	51	(request with manager with schedul$4) and (task with manager)	USPAT	OR	ON	2005/02/18 18:07
L6	5	((request with manager with schedul$4) and (task with manager)) and "718"/$.ccls.	USPAT	OR	ON	2005/02/18 18:07
L7	1	("20040040025").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 18:07
L8	4	(allocat$6 adj manager) with (scheduler (schedul$3 adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L9	7	(allocat$6 adj manager) same (scheduler (schedul$3 adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L10	14	request with manager with schedul$4 with parameters	USPAT	OR	ON	2005/02/18 18:07
L11	0	(request with manager with schedul$4 with parameters) same (software device)	USPAT	OR	ON	2005/02/18 18:07
L12	13	(request with manager with schedul$4 with parameters) and @ad<="20000202"	USPAT	OR	ON	2005/02/18 18:07
L13	10420	request$3 with parameters	USPAT	OR	ON	2005/02/18 18:07
L14	13	((request with manager with schedul$4 with parameters) and @ad<="20000202") and (request$3 with parameters)	USPAT	OR	ON	2005/02/18 18:07
L15	13	(((request with manager with schedul$4 with parameters) and @ad<="20000202") and (request$3 with parameters)) and (software device)	USPAT	OR	ON	2005/02/18 18:07

L16	5	((request with manager with schedul$4) and (task with manager)) and "718"/$.ccls. and @ad<="20000202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L17	0	((allocat$6 adj manager) with (scheduler (schedul$3 adj manager))) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L18	0	(allocat$3 adj2 manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L19	0	(allocat$3 with manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L20	0	(allocat$6 with manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L21	204	(allocat$6 with manager) and (request near2 parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L22	81	(allocat$6 near2 manager) and (request near2 parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L23	1	@ad<="20000202" and ((allocat$6 near2 manager) and (request near2 parameters)) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L24	35	@ad<="20000202" and ((allocat$6 near2 manager) and (request near2 parameters))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L25	4635	request$3 with parameters with (analyz$3 receiv$3)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L26	762	request$3 with parameters with (analyz$3 receiv$3) with (device software)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07

L27	283	((execut$6 time) adj interval) with symmetric$6	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L28	176	parameters with request$3 with (resource with requir$6)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L29	237	(request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202"	USPAT	OR	ON	2005/02/18 18:07
L30	0	(((execut$6 time) adj interval) with symmetric$6) and ((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202")	USPAT	OR	ON	2005/02/18 18:07
L31	5	(parameters with request$3 with (resource with requir$6)) and ((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202")	USPAT	OR	ON	2005/02/18 18:07
L32	283	(((time adj slic$3) (execut$6 time)) adj interval) with symmetric$6	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L33	10	((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202") and 718/1-108.ccls.	USPAT	OR	ON	2005/02/18 18:07
L34	1	(((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202") and 718/1-108.ccls.) and (interval (slic$3))	USPAT	OR	ON	2005/02/18 18:07
L35	3	(US-5276684-$ or US-6389402-$ or US-6424989-$).did.	USPAT	OR	OFF	2005/02/18 18:07
L36	1	((US-5276684-$ or US-6389402-$ or US-6424989-$).did.) and (interval (slic$3))	USPAT	OR	ON	2005/02/18 18:07
L37	3	schedul$3 with priority with inverse$3	USPAT	OR	ON	2005/02/18 18:07
L38	2984829	@ad<="20000202"	USPAT	OR	ON	2005/02/18 18:07
L39	3	(schedul$3 with priority with inverse$3) and @ad<="20000202"	USPAT	OR	ON	2005/02/18 18:07
L40	12	symmetric$4 with execut$4 with (period interval)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L41	1	L40 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07

L42	3003153	@ad<="20000202"	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L43	7	L40 and L42	USPAT	OR	ON	2005/02/18 18:07
L44	3003153	@ad<="20000202"	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L45	5	(symmetric$4 near3 (period interval)) same execut$5	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L46	7	L42 and L43	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L47	2	L42 and L45	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L48	806	(symmetric$4 near3 (period interval)) and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L49	1	L48 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L50	21	((symmetric$4 near3 (period interval)) with (process$3 execut$4)) and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L51	4	L50 and 7$/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L52	8	((symmetric$4 near3 (period interval)) with (tasks process)) and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L53	0	L52 and 7$/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L54	126	((equivalent near3 (period interval)) with (tasks process)) and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L55	2	L54 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L56	2	L42 and L55	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L57	63	symmetric$4 near3 tasks	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L58	39	L57 and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L59	8	L58 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L60	4336	symmetric$4 near3 (process$4 execut$4)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L61	130	L60 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L62	86	L61 and L42	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L63	6796	request near3 parameters	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07

L64	2	L62 and L63	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L65	3630	(synchroniz$3 mak$3 conform$4 transform$3) near3 symmetric$3	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L66	0	L65 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L67	2357	L42 and L65	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L68	2	L63 and L67	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L69	187	(analyz$3 examin$3) with (request$3 near3 parameter)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L70	3	L69 same schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L71	0	L42 and L70	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L72	53	L42 and L69	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L73	9	L72 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L74	0	L73 and schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L75	3	L72 and schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L76	3	L75 and device	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L77	3	(US-5276684-$ or US-6389402-$ or US-6424989-$).did.	USPAT	OR	OFF	2005/02/18 18:07
L78	0	L77 and L69	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L79	2	L77 and (request$3 with parameters)	US-PGPUB; USPAT	OR	ON	2005/02/18 18:07
L80	317	execut$4 near3 symmetric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L81	18771724	@ad<="20000202"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07

L82	224	L80 and L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L83	171	L42 and L82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L84	13	L83 and "718"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L85	18771724	@ad<="20000202"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 18:07
L86	4578	"718"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/02/18 18:08
S1	1	("5276684").PN.	USPAT; USOCR	OR	OFF	2004/03/22 06:55
S2	1	(("5276684").PN.) and symmetric$	USPAT	OR	ON	2004/03/22 07:02
S3	12	symmetric adj interval	USPAT	OR	ON	2004/03/22 07:21
S4	231	request with manager with schedul$4	USPAT	OR	ON	2004/09/07 11:22
S5	41	(request with manager with schedul$4) and (task with manager)	USPAT	OR	ON	2004/03/22 07:22
S6	5	((request with manager with schedul$4) and (task with manager)) and "718"/$.ccls.	USPAT	OR	ON	2004/09/07 11:29
S7	1	("20040040025").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/03/22 07:22
S8	3	(allocat$6 adj manager) with (scheduler (schedul$3 adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:51

S9	6	(allocat$6 adj manager) same (scheduler (schedul$3 adj manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:21
S10	14	request with manager with schedul$4 with parameters	USPAT	OR	ON	2004/09/07 11:23
S11	0	(request with manager with schedul$4 with parameters) same (software device)	USPAT	OR	ON	2004/09/07 11:24
S12	13	(request with manager with schedul$4 with parameters) and @ad<="20000202"	USPAT	OR	ON	2004/09/07 11:23
S13	9876	request$3 with parameters	USPAT	OR	ON	2004/09/07 12:22
S14	13	((request with manager with schedul$4 with parameters) and @ad<="20000202") and (request$3 with parameters)	USPAT	OR	ON	2004/09/07 11:23
S15	13	(((request with manager with schedul$4 with parameters) and @ad<="20000202") and (request$3 with parameters)) and (software device)	USPAT	OR	ON	2004/09/07 11:24
S16	5	((request with manager with schedul$4) and (task with manager)) and "718"/$.ccls. and @ad<="20000202"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:29
S17	0	((allocat$6 adj manager) with (scheduler (schedul$3 adj manager))) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:52
S18	0	(allocat$3 adj2 manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:53
S19	0	(allocat$3 with manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:53
S20	0	(allocat$6 with manager) and (request near2 paramters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:53

S21	171	(allocat$6 with manager) and (request near2 parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:53
S22	72	(allocat$6 near2 manager) and (request near2 parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:53
S23	1	@ad<="20000202" and ((allocat$6 near2 manager) and (request near2 parameters)) and 718/1-108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:54
S24	32	@ad<="20000202" and ((allocat$6 near2 manager) and (request near2 parameters))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/07 11:54
S25	4080	request$3 with parameters with (analyz$3 receiv$3)	US-PGPUB; USPAT	OR	ON	2004/09/07 12:23
S26	639	request$3 with parameters with (analyz$3 receiv$3) with (device software)	US-PGPUB; USPAT	OR	ON	2004/09/07 13:41
S27	272	((execut$6 time) adj interval) with symmetric$6	US-PGPUB; USPAT	OR	ON	2004/09/07 14:38
S28	162	parameters with request$3 with (resource with requir$6)	US-PGPUB; USPAT	OR	ON	2004/09/07 13:42
S29	234	(request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202"	USPAT	OR	ON	2004/09/07 14:47
S30	0	(((execut$6 time) adj interval) with symmetric$6) and ((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202")	USPAT	OR	ON	2004/09/07 13:43
S31	5	(parameters with request$3 with (resource with requir$6)) and ((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202")	USPAT	OR	ON	2004/09/07 13:43
S32	272	(((time adj slic$3) (execut$6 time)) adj interval) with symmetric$6	US-PGPUB; USPAT	OR	ON	2004/09/07 14:38

S33	10	((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202") and 718/1-108.ccls.	USPAT	OR	ON	2004/09/07 14:53
S34	1	(((request$3 with parameters with (analyz$3 receiv$3) with (device software)) and @ad<="20000202") and 718/1-108.ccls.) and (interval (slic$3))	USPAT	OR	ON	2004/09/07 14:54
S35	3	(US-5276684-$ or US-6389402-$ or US-6424989-$).did.	USPAT	OR	OFF	2004/09/07 14:54
S36	1	((US-5276684-$ or US-6389402-$ or US-6424989-$).did.) and (interval (slic$3))	USPAT	OR	ON	2004/09/07 16:25
S37	3	schedul$3 with priority with inverse$3	USPAT	OR	ON	2004/09/07 16:26
S38	2981467	@ad<="20000202"	USPAT	OR	ON	2004/09/07 16:26
S39	3	(schedul$3 with priority with inverse$3) and @ad<="20000202"	USPAT	OR	ON	2004/09/07 16:26
S40	12	symmetric$4 with execut$4 with (period interval)	US-PGPUB; USPAT	OR	ON	2005/02/06 22:25
S41	1	S40 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:31
S43	3002930	@ad<="20000202"	US-PGPUB; USPAT	OR	ON	2005/02/06 23:04
S44	7	S40 and S43	USPAT	OR	ON	2005/02/06 22:00
S45	5	(symmetric$4 near3 (period interval)) same execut$5	US-PGPUB; USPAT	OR	ON	2005/02/06 22:03
S46	7	S43 and S44	US-PGPUB; USPAT	OR	ON	2005/02/06 22:02
S47	2	S43 and S45	US-PGPUB; USPAT	OR	ON	2005/02/06 22:02
S48	806	(symmetric$4 near3 (period interval)) and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:11
S49	1	S48 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:03
S50	21	((symmetric$4 near3 (period interval)) with (process$3 execut$4)) and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:21
S51	4	S50 and 7$/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:21
S52	8	((symmetric$4 near3 (period interval)) with (tasks process)) and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:22

S53	0	S52 and 7$/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:21
S54	126	((equivalent near3 (period interval)) with (tasks process)) and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:23
S55	2	S54 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:23
S56	2	S43 and S55	US-PGPUB; USPAT	OR	ON	2005/02/06 22:23
S57	62	symmetric$4 near3 tasks	US-PGPUB; USPAT	OR	ON	2005/02/06 22:28
S58	39	S57 and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:25
S59	8	S58 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:25
S60	4315	symmetric$4 near3 (process$4 execut$4)	US-PGPUB; USPAT	OR	ON	2005/02/06 22:28
S61	130	S60 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:28
S62	86	S61 and S43	US-PGPUB; USPAT	OR	ON	2005/02/06 22:29
S63	6747	request near3 parameters	US-PGPUB; USPAT	OR	ON	2005/02/06 22:29
S64	2	S62 and S63	US-PGPUB; USPAT	OR	ON	2005/02/06 22:30
S65	3609	(synchroniz$3 mak$3 conform$4 transform$3) near3 symmetric$3	US-PGPUB; USPAT	OR	ON	2005/02/06 22:31
S66	0	S65 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:31
S67	2356	S43 and S65	US-PGPUB; USPAT	OR	ON	2005/02/06 22:31
S68	2	S63 and S67	US-PGPUB; USPAT	OR	ON	2005/02/06 22:33
S69	186	(analyz$3 examin$3) with (request$3 near3 parameter)	US-PGPUB; USPAT	OR	ON	2005/02/06 22:38
S70	3	S69 same schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/06 22:33
S71	0	S43 and S70	US-PGPUB; USPAT	OR	ON	2005/02/06 22:33
S72	53	S43 and S69	US-PGPUB; USPAT	OR	ON	2005/02/06 22:34
S73	9	S72 and "718"/$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/06 22:36
S74	0	S73 and schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/06 22:36

S75	3	S72 and schedul$3	US-PGPUB; USPAT	OR	ON	2005/02/06 22:36
S76	3	S75 and device	US-PGPUB; USPAT	OR	ON	2005/02/06 22:36
S77	3	(US-5276684-$ or US-6389402-$ or US-6424989-$).did.	USPAT	OR	OFF	2005/02/06 22:38
S78	0	S77 and S69	US-PGPUB; USPAT	OR	ON	2005/02/06 22:38
S79	2	S77 and (request$3 with parameters)	US-PGPUB; USPAT	OR	ON	2005/02/06 23:03
S80	249	execut$4 near3 symmetric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 23:04
S81	18327631	@ad<="20000202"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 23:04
S82	169	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 23:04
S83	165	S43 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 23:05
S84	13	S83 and "718"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 23:05